



-

GUARDIAN[™] Lifebuoy Housings



INFORM

Highly visible and readily recognised in an emergency.

PROTECT

Against harmful UV degradation of equipment.

GUARD

Help to deter thieves and vandals.

ALLOW QUICK & EASY INSPECTION

Durapol inspection indicator.

Guardian Lifebuoy Housings are available for 600mm and 750mm Lifebuoys



GUARDIAN 750 Housing Holds two B-Line" Water Rescue Devices OR one Lifebuoy (750mm or 600mm).

GUARDIAN 600 Housing Holds two B-Line Water Rescue Devices OR one 600mm Lifebuoy.



ROPEMASTER[™] Quick Release Rope Management System

Buoy and Rope Retention Tabs

Grab Handle Recess





Allows the buoy and rope to be removed in a single movement with one hand.

www.glasdon.com

Allows rope to be wound tightly onto the device for compact storage.



GUARDIAN Lifebuoy Housings

Post Mounting

Corrosion resistant **ARMORTEC**^{*} coating. à

Two posts are available for either surface mounting to a concrete base or setting below ground into a concrete pocket.



Wall Mounting



Deterrent **Against Tampering & Theft**



Toggle Latch

Holds the lid securely closed, but enables quick and easy access in an emergency.

Time Saving Inspection Aid



housing HAS NOT been opened

Indicator shows housing HAS been opened

BELINE Water Rescue Device

The lightweight and streamlined design of B-Line means that it can be thrown further and more accurately to the victim, increasing the chances of a successful rescue.

B-Line provides the victim with buoyancy, helping to reduce panic and allowing regular breathing to recommence. They can then be pulled safely ashore.

Quick & Simple to use






Easily thrown with accuracy. Re-usable.

Easy to re-throw. Buoyant and strong. Soft nose reduces risk of injury to the victim.

B-Line rescue device can be easily stored in a GUARDIAN Lifebuoy Housing. Compact and portable, the B-Line rescue device is the ideal water rescue aid for carrying by emergency service vehicles, and for siting at external or internal water spaces. B-Line can also be used for ice rescue.



B-LINE

| Colour: | Bright Yellow |
|------------------|---|
| Length: | 685mm |
| Diameter: | 159mm |
| Weight: | 1.3kg |
| Buoyancy: | 4.14kg |
| Rope: | 31 m of 6mm diameter polypropylene floating rope. Breaking strain 550kg. |
| Sleeve: | PVC - coated nylon |
| Strap: | Polypropylene |
| | |

Brass Mounting Eyelet Release Tab with Press Stud Spliced Loop PVC Coated Nylon Sleeve 31m of Rope Splice Drain Holes Rolypropylene Strap Buoyant Moulding

Not to be mounted in direct sunlight (if not housed in a lifebuoy housing).

atron - r an



Technical Data

GUARDIAN™ LIFEBUOY HOUSINGS

| A. S. M | Width | Depth | Height | Weight | Height with Post | Materials |
|----------------|-------|-------|--------|--------|---------------------|--|
| 600mm Housing: | 768mm | 250mm | 925mm | 9.0kg | 1673mm | Durapol ^{®*} material |
| 750mm Housing: | 898mm | 250mm | 1065mm | 10.5kg | 1741mm | Durapol |
| Post only: | 100mm | 50mm | 1500mm | 12.5kg | N/A | Mild Steel with Armortec ^{®#} coating |

Fixings:

Note : The Ropemaster system on Guardian Lifebuoy Housings accepts up to 14mm diameter rope

GLASDON LIFEBUOYS & B-LINE

| EQUIPMENT | FUNCTION | USAGE | SUITABLE SITING | ADVANTAGES |
|-------------------|---|---|--|--|
| Glasdon Lifebuoys | Provides buoyancy over extended period. Rope can secure casualty. | Vertical, i.e. for dropping from a height. | Piers, sea walls, promenades, docks and locks. | Easy to use and familiar Discourages entry to wa |
| Glasdon B-LINE | Provides buoyancy. Can be thrown further than a Lifebuoy. | Vertical or horizontal. Throw to casualty. | All of the above plus beaches, rivers and lakes. | Easy and accurate to us and re-throw. Discourage entry to water. |

GLASDON LIFEBUOYS

| Model: | 600 | 750 | | |
|-------------------|---------------------------|--------------|--|--|
| Material: | Polyethylene | Polyethylene | | |
| Colour: | Orange | Orange | | |
| Outside Diameter: | 605mm | 710mm | | |
| Inside Diameter: | 405mm | 430mm | | |
| Weight: | 2.7kg | 2.5kg | | |
| Rope: | 30m of 8mm diameter rope | | | |
| | 50m of 8mm diameter rope | | | |
| | 30m of 10mm diameter rope | | | |
| | 50m of 10mm diameter rope | | | |
| Grabline: | 10mm diamete | r rope | | |



Stainless Steel

Durapol material is a polymer formulated to withstand extremes of temperature and is impact-tested in our Quality Assurance Laboratory as part of our BS EN ISO 9001:2008 test procedure. Durapol will not chip or rust, is easy to clean and never needs painting. *Armontec* corrosion resistant coating is specially formulated to extend the life of Glasdon metal products and components used externally.

OPTIONAL FEATURES

OTHER PRODUCTS



Lid Stay

Supports the lid whilst the housing is open for replacing the buoy & rope.

(Please note: this feature does not apply to rail or wall mounted housings.)

Inspection Window

Provides visual confirmation for the operator that the lifebuoy is in the housing.

The unit can be personalised with your logo or message





Slimline[™] Storage Container

Personalisation

A centre boss label is supplied as standard on Guardian Lifebuoy Housings. These can be personalised with your name, logo or special instructions. Please call our Sales Office for further details and the cost.







www.glasdon.com



Stasdon Armortec, B-Line, Durapol, Guardian, Mini-Ensign, Ropemaster and Slimline are trademarks or registered trademarks of GLASDON Group or its subsidiaries in the UK and other countries.

Glasdon Group Limited Is An Equal Opportunities Employer.

© Glasdon International Ltd. 12/2017. Glasdon reserve the right to alter price and specification without prior notice. LH/



